

الحلول مراكز الصيانة



رؤية
VISION
2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA



Appendix

TAAJEER WORKSHOP SOLUTION INTRODUCTION	2
PAINTS	
1. Baslac	
Baslac Introduction	3
• Primers	4
• Base & Topcoats	5
• Clear coats	6
• Additives	7
2. Norbin	
Norbin Introduction	8
• Ancillaries	9
3. Paint Accessories & Consumable	
• Paint shop tools & Accessories	10
• Paint Consumables	11
• Body Shop Trolleys	12-13
PAINT EQUIPMENT	
4. Spanesi	
• Customization paint booth	15
• Prep Stations	16
• Industrial Paint Booth	17
5. BLOWTHERM	
• Paint booth & Prep Stations	18
• Mixing Rooms	19
• Industrial Prep Stations	20
6. ILke	
• Economical Paint booth	21-22
CHASSIS REPAIR	
7. SPANESI	
Spanesi Introduction	24
• Benches	25
• Universal Jigs	26
• Electronic Measurement	27
• Touch Wheels	28
CUTTING & WELDING EQUIPMENTS	
8. GYS	
GYS Introduction	30
• Spot Welding	31
• Mig Welding Machines	33
• Welding Accessories	34-36
• Heating Machines	37
• Cutting Machines	38
• Repairing Machines	39
• Pulling Equipment	40
• Aluminum Repair	42-46
• Aluminum Welding	47
• Plastic Repair	49
• Plastic Welding	50
• Glass Work Tools	51
• Smart Accessories	53-57
• Pneumatic Sander	58
• EV Tools & Equipment's	59
• Power Pack & Cables	60
• Boosters & Chargers	61
TOOLS AND TROLLEYS	
9. FASANO	
Fasano Introduction	62
• Workbenches & Combinations	63
• Tool Trolley	65
• Hand Tools	66-68
• Pneumatic Tools	71-72
• Professional Equipment's	74
• Jacks	75
• Mobile Workshop	76
• Professional Equipment's	77
GARAGE EQUIPMENTS	
10. TWIN BUSCH	
Twin Busch Introduction	79
• Lifters	80-81
• Wheel Services	82
11. FILCAR	
Filcar Introduction	83
• Exhaust Extraction	84
• Fluid Control	85
Our Projects	86
MOBILE WORKSHOP CONCEPT	87
TAAJEER WORKSHOP SOLUTION'S FUNCTIONAL AREA	88





Taajeer Workshop Solution Offer Mission & Vision

WORKSHOP SOLUTION, is a newly established company under the esteemed Taajeer Group, specializing in providing comprehensive solutions for Automotive Workshops and Body Shops. Our journey began in the middle of August 2022, and since then, we have been dedicated to offering top-quality products and services to our valued clients.

As the distributor for renowned international brands with Workshop Solution ensures access to cutting-edge paint and equipment technologies. These partnerships allow us to deliver superior products that meet the highest standards of quality and performance.

In addition to product distribution, Workshop Solution offers a range of services aimed at enhancing the efficiency and effectiveness of automotive workshops and body shops. Our services include equipment user training, workshop and body shop consultation, and design. Whether our clients require assistance in improving their existing services or need a complete solution for their automotive workshop or body shop, Workshop Solution is here to help.

What sets Workshop Solution apart is our experienced team, boasting over 25 years of collective experience in the equipment and tools business, as well as in project management. Our team members bring a wealth of knowledge and expertise to every project, ensuring that our clients receive personalized solutions tailored to their specific needs and requirements.

MISSION STATEMENT

"Our mission is to be the ultimate choice for customers seeking automotive services by delivering swift, sustainable value, and convenience. We are dedicated to continuously enhancing our performance and simplifying processes to ensure seamless experiences for all stakeholders."

At our core, we envision a future where we lead the automotive industry by providing unparalleled solutions, consultancy services, and products that cater to the diverse needs of automotive businesses worldwide.

VISION STATEMENT

"To emerge as the foremost supplier, consultant, and solution provider for all automotive industry needs, pioneering innovation, and excellence in addressing the challenges and requirements of our clients across the automotive sector."



PAINT

SECTION



A brand of
BASF - We create chemistry

**JUST
MAKES
SENSE**



PRIMERS



12-20 2K UNIVERSAL BODYFILLER
12-20 UNIVERSAL BODYFILLER



20-24 / -34 / -94 2K PRIMERFILLER
BASLAC® 2K PUR PRIMERFILLER SYSTEM



21-10 1K PLASTIC PRIMER
MULTI-PURPOSE PLASTIC ADHESION PROMOTER



21-20 PLASTIC PRIMER
PLASTIC PRIMER



25-30 2K PRIMERFILLER EP
BASLAC® 2K PRIMERFILLER EP



27-10 2K WASHPRIMER
BASLAC® 2K PRIMER / PRIMERFILLER



20-35 / -95 WET-ON-WET
2K PRIMERFILLER



- Non sanding Surfacer
- Good and fast drying time (20 min before basecoat application)
- No sanding needed before topcoat and basecoat
- Good adhesion, can be applied directly on e-coat without sanding
- Can be overcoated up to 5 days without intermediate sanding
- Grey shade mixing with 20-95 black
- Mixing ratio 3:1:1



21-11 2K PLASTIC PRIMER VOC
2K PRIMERFILLER



- Suitable for all plastic repairs
- Good adhesion on all plastic used in car production
- Able to use as wet on wet solution and sanding version
- Applicable under all baslac topcoats
- Mixing ratio 4:1:1 / Hardener 50-15 / Reducers 60-10, 60-20

BASE AND TOPCOATS



- Very effective baslac® 2K Topcoat
- Excellent hiding power
- Easy and save application, no matter which temperature or object size

TOPCOAT 30-S00

BASLAC® 2K TOPCOAT



- Fast and easy baslac® Basecoat for solid, metallic and pearl colors
- Best color match with color tool baslac® Global Color Finder
- Strong hiding power and low material consumption

BASECOAT 35-M00

BASLAC® BASECOAT



TOPCOAT 30-S01

BASLAC® 2K TOPCOAT CV



BASECOAT 45-W00

BASLAC® WATERBORNE BASECOAT



CLEARCOATS



40-10 2K PANEL CLEAR
BASLAC® CLEAR



40-40 2K UNIVERSAL CLEAR
BASLAC® UNIVERSAL CLEAR



40-450 HS UNIVERSAL CLEAR VOC
BASLAC® UNIVERSAL CLEARCOAT VOC



40-440 2K CLEAR VOC
BASLAC® CLEAR VOC



40-510 AMBIENT CLEAR VOC
VOC AMBIENT CLEAR FOR BASLAC® BASECOATS



- Easy and safe to spray, available in 2L can
- Fast drying: airdrying polishable after 1 hour 30 min at 20° object temperature
- Amazing spray security
- High gloss level
- Simple mixing ratio 4:1
- 50-510 Ambient Hardener is available in 0.5 L can

ADDITIVES



baslac® Reducers for ideal processing no matter which temperature or object size

60- /65- REDUCERS (EXTRA SLOW TO FAST)
BASLAC® REDUCERS



baslac® Cleaning Solvents for best substrate preparation

70- CLEANING SOLVENTS
BASLAC® CLEANING SOLVENTS



baslac® Plasticizer for PUR products (30- Topcoat, 40- Clears, 20-24 PUR Primer)

80-10 ADDITIVE FLEX
BASLAC® PLASTICIZING ADDITIVE



baslac® HS Matting Agent for 30- Topcoat and 40- Clears

80-20 ADDITIVE MAT
HS MATTING AGENT



baslac® Hardeners for ideal processing no matter which product, temperature or object size

50- /55- /57- HARDENERS (SLOW TO EXTRA FAST)
BASLAC® HARDENERS





A brand of
BASF - We create chemistry

REFINISH A WINNER WITH NORBIN®

NORBIN® is an automotive refinish coatings brand developed by BASF, a global leader in the chemical industry. Reflecting BASF technology, genuine quality and competitive pricing, the NORBIN® brand offers a range of auxiliary products that optimize the cost of repair and help safeguard customers competitiveness.




ANCILLARIES




CLEAR - N15-020 (1L/5L)



CLEAR VOC - N15-V20 (4L)



FAST CLEAR VOC
N15-025 (5L)



PRIMER - 1K
PRIMER FILLER N55 -V15 (1L)



PRIMER - 2K
PRIMER FILLER GREY N55
V20 (2.5L)



HARDENER FAST
N75-020 (0.5 L)



HARDENER - N75
021 (0.5L / 2.5L)



HARDENER SLOW
N75-022 (0.5L)



CLEAR HARDENER
N75-V21 (1L)



PAINTSHOP TOOLS & ACCESSORIES



SUPERT60 HQLVLP



HIQ 1000G URP



GUN CLIUB 01170404



AD402-04



PHX-SPRAYCARD_02P

MED GRAY METAL SPRAY CARDS
(PIECE)



P-015

S-015

Q-015



PHX-FLOOR_1M

PHX-SPRAYCARD_01P

FLOOR FILTER FOR PAINT BOOTH

PAINT BOOTH CELLING FILTER

WHITE METAL SPRAY CARDS
(PIECE)



PHX-MIXCUP
P2300ML

PHX-MIXCUP
P1400ML

PHX-MIXCUP
P700ML

PHX-MIXCUP
P400ML



PHX-P2A1_M



PHX-COTTONCLOTH_B



PHX-MICROCLOTH_01



PHX-MICROCLOTH_02



PHX-WIPES_55GSM



PHX-MFMFILM_001

PAINT CONSUMABLES



P40	2361105040	P240	2361109925
P60	2361105060	P280	2361109928
P80	2361109980	P320	2361109932
P100	2361109910	P400	2361109941
P120	2361109912	P500	2361109951
P150	2361109915	P600	2361109961
P180	2361109918	P800	2361109981
P220	2361109922	X50 / 100 PIECES	

GOLD Ø 150 MM GRIP 15 HOLES



(2.5MM) 8992725111
(5.0MM) 8992700111

ROS Ø 125 MM
CENTRAL VACUUM ORBIT



P80	5415005080	P150	5415005015	P320	5415005032	X50 PIECES
P100	5415005010	P180	5415005018	P400	5415005041	
P120	5415005012	P240	5415005025	P600	5415005061	

SANDING BLOCK KIT 70 X 198 MM



P80	2971401080	P240	2971401025
P120	2971401012	P320	2971401032
P150	2971401015	X10 PIECES	

GOLDFLEX SOFT 115 X 140 MM



P80	5454400180	P180	5454400118
P100	5454400110	P240	5454400125
P120	5454400112	P320	5454400132

ABRANET® 115 MM X 25 M GRIP



P1000	2P11105092	P2000	2P11105095
P1200	2P11105093	P2500	2P11105096
P1500	2P11105094	P3000	2P11105098

WPF PRO 140 MM X 230 MM

BODY SHOP TROLLEYS



- * Portable Work Stand
- * Load Capacity: 500Lbs
- * Great For Doors, Fenders, Hoods And Bumpers.
- * Leg Tube Length: 77Mm
- * Steel Tubing Dia.:28Mm; Thickness:1.2Mm
- * 1/2" EPE Foam Will Cover Whole Arm

PORTABLE WORK STAND



- * Heavy Duty work bench with capacity of 500lbs.
- * Heavier gauge tubing (31.74mm) 1-1/4" Steel tubing construction with 1/2" foam padded top av bumpers
- * Adjustable height of 25" to 44" tall
- * Stand Dimensions in Completely Folded Position: 40" wide x 42" high
- * Stand Dimensions in Adjustable Operating Position: Maximum Height: 14" depth x 41" high x 40" wide Minimum Height: 32" depth x 25" high x 40" wide
- * Tubing diameter is 1-1/4" (32mm)
- * Weight: 16lbs.
- * With Operating Manual

HEAVY DUTY PORTABLE WORK STAND



- * Fully adjustable
- * Probably the most versatile Panelstand available on the market
- * Designed to facilitate car panel handling during preparation and spraying processes.
- * Compact yet easily handles the largest bonnets, tailgates, doors and wings
- * Rotates full 180°
- * Large rubber tyred wheels roll easily over sills, grills and airlines.
- * Easy to manoeuvre
- * Easy to use
- * Material: MILD STEEL
- * Surface finish: galvanized
- * Base: F30*1.5mm steel, Frame: F30,F25,F20,1.5mm steel

NEW ROTATING PANEL REPAIR PAINT STAND



- * Features fully adjustable arms to fit many styles of car colors, hoods, wings and bumpers.
- * Main frame can adjust through 180°, to give required angle.
- * Fitted with two fixed Ø180mm wheels and two braked Ø125mm castors for easy manoeuvrability.
- * Supporter size: 950 mm(L) x 700 mm(W) x 1030 mm(H)

MULTIFUNCTION PAINT STAND



- * Workshop trolley with 4 wheels,
- * Includes: 2 side lattices foam rubber profiles protection coating (rubber) 2 shelves (wooden panels 84x55cm) 1 outer basket for tools with small boxes in red color 1 outer basket for orders (with U-cut) 1 metal shelf (powder coating) 2 elastic fixing bells for pull-out rails
- * Height: 170 cm (without wheels)
- * Color of all metal parts: black packed into two cartons

WORKSHOP TROLLEY



- * Parts Cart With 4 X 5" Pu Castor (Two Fixed And Two Swivel With Brake)
- * Size: 585*895*1800Mm

AUTOMOTIVE PARTS CART



- * Readily identify any displaced parts. Keeps workshop floor clear. Large enough to receive seat squabs, dashboards and bumpers.
- * Comes with 1 mesh shelf for dirtier items and 2 plywood shelves to keep hold of smaller components.
- * Dimensions mean it will fit through a standard doorway.
- * Dimensions: H: 1640mm W: 1108mm D: 630mm
- * F25 * 1.2MM tube
- * 4 * 3inch PU caster

PARTS CART

BODY SHOP TROLLEYS



- * Portable Work Stand, Stable Construction, Galvanized, with Sling
- * Load Capacity: 500Lbs
- * Great For Doors, Fenders, Hoods And Bumpers.
- * Steel Tubing Dia.:32Mm; Thickness :1.2Mm
- * 1/2" Pu Foam Pad To Avoid Any Damage.
- * Material: Steel

PORTABLE WORK STAND WITH SLING



- * For Garage and body shop use
- * Ideal for doors, bonnets, bumpers, wings and spoilers
- * Adjustable and rotating bars make this stand suitable for almost any panel types.
- * Portable for easy manoeuvring of application from preparation to spray booth
- * With Operating Manual
- * Includes:
 - 2 S hook,
 - 1 spray gun holder,
 - 4 vertical supports with fixed hook,
 - 2 supports with holes

ROTATING PAINT PANEL STAND



- * Adjustable frame that extends from 127cm to 203cm
- * 6 Hooks to hold parts for painting/drying
- * 10cm PU caster wheels, 2 swivel, 2 swivel with brake
- * Steel Tubing(F30/F25*1.2mm), Powder Coated
- * 150kg capacity total
- * 50kg capacity per hook
- * 177*50cm wide

ADJUSTABLE PAINT HANGER



- * With 3 shelves and 2 arms.
- * The folding rack with 8 pc foam cushioned support arms.
- * Available for windscreen, sheet metals, hoods, doors.....etc.
- * Open size:1060 mm(L)x 1330 mm(W)x 1900mm (H)
- * Front-Supporter size: 1060 mm(L)x 780 mm(W)x 1900 mm(H)
- * Back-Supporter size: 890 mm(L)x 550 mm(W)x 635 mm(H)
- * PU caster

PARTS CART WITH PANEL TRAIN



- * 48" Deluxe masking machine.
- * Five roll capacity.
- * Masking paper trolly for sizes of 45, 70 & 90cm.
- * Fitted with tape holders which can be perfectly adjusted.

DELUXE MASKING MACHINE



- * Holds Up To 8pcs 46cm Bumper Covers + 8pcs 92cm Bumper Covers
- * Made Of Steel Tubing.
- * Net Weight: About 32.2Kg
- * H: 2160mm W1040mm D: 940mm

FLOOR BUMPER STAND



- * Stable structure with telescopic spring:
- * Steel material
- * Anti-slip
- * Rubber cover to protect surface
- * The length is adjustable as need
- * Max capacity: 220lbs(100kg)
- * Min/Max Height: 33in-52in(84cm-132cm)
- * Min/Max Length: 8-7/8in-54-15/16in (22.5cm-138cm)
- * Width: 33-7/8 in (86cm)
- * 4x4" rubber wheel

TELESCOPIC UNIVERSAL STAND



PAINT EQUIPMENT

SECTION



CUSTOMIZATION PAINT BOOTH



GIOTTO



Giotto

Giotto Spray Booth is available both with 7,5 kW and 11 kW motors. This is a highly customizable Paint Booth: thanks to its large range of options, it can be accessorised according all your possible requests.

Thermal power comes by means of a double-stage oil burner. This spray booth is always provided with one side service door with glazed window. One sinoptic control panel manages the proper functioning of the plant. Customers get the best downdraft air flow thanks to a recessed grating basement (700kg/wp capacity) with its filter carrier trays and apt vents.

Michelangelo

Michelangelo spray booth, thanks to its new front portal with "glased windows", joins high performances to state of the art design. Thank to all the technologies employed, this paint booth is justly placed on the top of its category. Its main features are the followings:

- Direct flame burner;
- Pressure automatic control by inverter devices;
- Customizable according all possible customer requests;
- Top and bottom lights;
- 34000 m3/h air flow capacity;
- Electronic control panel with display.

MICHELANGELO



DONATELLO



Donatello

The spray booth with high performance and low power consumption:

- LED lights with 30% more power saving and better internal light;
- Special turbines with reduced-power motors guarantee high performances;
- Spray booth working cycle: 40% saving;
- A virtually noiseless working environment;
- State of the art technology using Touch Screen control panel.

EN 13355 Compliance

PREPARATION STATION



CABINE DI VERNICIATURA
ZONE DI PREPARAZIONE
CABINE INDUSTRIALI
SPRAY BOOTHS
PREPARATION AREAS
INDUSTRIAL BOOTHS



**CUSTOMISED
EQUIPMENT**



**DOWNLOAD COMPLETE
PAINTBOOTH
BROCHURE MORE INFO**



INDUSTRIAL PAINT BOOTH



INDUSTRIAL

**CUSTOMISED
EQUIPMENT**



Paint lift / Paint lift



PAINTBOOTH & PREP STATIONS



PAINT BOOTH EXTRA



PAINT BOOTH WORLD



PAINT BOOTH WORLD/S



CONTROL ZONE



Uniform lighting

LED ceiling lights for homogeneous lighting on the vehicle to be inspected without altering its colors



Increase productivity

It allows you not to occupy the preparation area for vehicle inspection



Perfectly integrated

Can be combined with the preparation areas and Blowtherm painting booths



**PREMIUM
PAINTBOOTH**



GENIUS



Customisation

With a vast range of sizes and optional add-ons to create your own configuration based on the product being prepared. Single bays or multi-zones for a rational flow of vehicles in the Bodyshop.



Ventilation and thermal ventilating units

Ventilation units with or without heating for single bays or multi-zones with airflow control, where required. Floor or side/rear exhaust extraction system.



Smart management industry 4.0

Faster repair processes thanks to programs optimised for smart repair type, advanced air controls and monitoring of all operating parameters



Eco-Energy efficiency

Low consumption and high energy efficiency with 100% performance.



MIXING ROOM



MIXING BOX LIQUID PAINT KITCHEN

Prepare paint for automotive and industrial finishing



Excellent ventilation

Intake and extraction ventilation system that ensures at least 20 air exchanges per hour which can be increased as needed. ATEX on request.



Delayed lighting

LED lighting with automatic delayed switch-on to ensure an operator environment without solvents



Additional exhaust extraction unit

Option for supplementary exhaust extraction hood and ventilated workbench



Heated room

Heating system with electric or water battery module with heat recovery to maintain the correct room temperature for waterborne paints on request



**PREMIUM
PAINTBOOTH**



INDUSTRIAL PREP STATION



GENIUS XL

For the preparation of spray painting of industrial vehicles and XL components



Endless possibilities and customized layout
In different sizes with a multitude of options for an optimal system design



Clean work environment with reduced consumption

Protection of employees thanks to the high-performance ventilation units with filter systems for various applications. Reduced environmental impact through zone ventilation



Modular and expandable

Integration of manual or motorized curtains, conveyor tech, extraction systems and mobile platforms



Eco-efficiency

Low consumption and sustainability combined with high performance. With innovative 4.0 technologies



**PREMIUM
PAINTBOOTH**



ECONOMICAL PAINTBOOTH



Automobile Spray Booth White



Automobile Spray Booth

Your health is worthy for us, we highly esteem your well-being. Special air filters for completely purified atmosphere

With its air recirculation system and intelligent control software, you can benefit higher efficiency rates and easy energy management, which are the key components for

FIRAT can provide the ideal temperature for painting and drying with its in-house production stainless-steel heat



The FBK Model is our standart product



Benefits of our paintbooth:

- Highly Efficient Spray Booth
- Decreased Energy Consumption
- Improved Environmental Health



Preparation Stations

For assuring quality, the preparation must be done properly. FIRAT can provide the environment you need for the best surface quality.

With smartly designed preparation areas you can also repair small damages and paint small pieces of vehicles.

Prep Stations are available in full down draft or semi-down draft airflow configuration, with single-fan or double-fan designs.



ECONOMICAL PAINTBOOTH

Minibus Spray Booth

FIRAT provides you improved technology for highly creative solutions with heat resistant equipment and high quality fans with low noise level.

These are two standard model for minibus which are FBK-MNB 7000 and FBK-MNB 8000.

FBK-MNB series spray booth is designed to fulfill the requirements for the refinishing of minibuses. The design and layout can be tailored to customer requirements in terms of extraction, access doors, unit positions and internal dimensions.



Some of our Minibus Spray Booth References



Commercial Vehicle Spray Booth



ILKE has enhanced the design of our large size spray booths for Commercial Vehicle.

Our some of Commercial references

Bus and Truck Spray Booth



ILKE has enhanced the design of the large size spray booths for Buses.



Custom Spray Booth

ILKE offers one of the most customizable lines of paint booths in the industry. No matter what kind of paint booth you are looking for automotive, truck, industrial, large equipment..



Water Curtained Open Booth

*The images and drawings of Custom Booths are for illustration purposes only, and do not necessarily represent the exact products. Manufacturer has a right to change the product specifications at any time without any prior notice. Please ask for a quotation for exact and up-to-date specifications.



Cartoon Filtered Positive Pressured Painting Booth



Special Spray Booth with Painting Robots



Water Curtained Open Booth




Furniture Painting and Drying Booth



CHASSIS REPAIR

SECTION





A TIMELESS COLLISION REPAIR TRADITION

Spanesi innovates, designs and manufactures the entire range of collision repair equipment. With its worldwide reach incorporating local divisions and a large distribution network, Spanesi is the only manufacturer that owns and operates a collision repair facility at its headquarters, where all products are tested and proven on a daily basis.

BENCHES

BENCHES THAT SUPPORT TOUCH SYSTEM



REPAIR WITH TOUCH

Combining the Touch with the Multibench will get a faster and more precise repairs.

Thanks to the innovative "Follow Me" system, the technician is guided, in real-time, during the pulling phases until the damaged points are correctly repositioned.


By pulling and measuring simultaneously, repair times and labour costs are significantly reduced, while vehicle touch-times are increased.

SMALL-DAMAGE LIFTS: MULTIBENCH, MINIBENCH AND PONYBENCH BT PLUS

INCLUDES TOUCH MOUNT



MINIBENCH



MULTIBENCH (REPAIR)

Small, medium, and large damage. The Multibench is engineered to be highly resilient and, thanks to 10 Tons of pulling force, also lends itself to performing consistently during very demanding damage repairs.

The pulling column pivots to cover the entire vehicle's surface. It allows you to pull from multiple directions, without any loss of pulling energy and in complete safety for the technician.

Adjustable clamps adapt to the underbody height of vehicles mechanically.



MULTIBENCH



MAJOR DAMAGE AND STRUCTURAL REPAIR

The 106 is a structural repair workstation that is capable of performing minor to major structural repair operations. It has been designed to stand up to the most intense pulling stresses; this is accomplished through the utilization of the most durable materials available, in order to maintain its performance throughout the years. The 106 is equipped with removable wheels to allow the movement of the bench within the collision repair facility.

LARGE-DAMAGE LIFTS: 100 SERIES AND DAYTONA BENCHES

INCLUDES TOUCH MOUNT



106 SERIES

MANUAL BENCHES



UNIVERSAL JIG



UNIVERSAL JIG TROLLEY



SET OF SPECIAL HARDENED BOLTS



CROSSBARS



RACK GEARS



POSITIONING AND ASCENDING RAMPs



WINSTAR SOFTWARE



MCPHERSON MEASURING SYSTEM



ELECTRONIC MEASUREMENT



Computer area



Probe area



TOUCH 4.0



Printer area



Computer area



TOUCH PORTABLE



TOUCH ALLOWS MEASURING OF

VEHICLE FRAME AND STRUCTURAL ITEMS

MECHANICAL PARTS

USER ADDED POINTS WITH PHOTOS

WHEEL AND TIRE ALIGNMENT

SUSPENSION PARTS

COMPARATIVE MEASUREMENTS

DAMAGE DIAGNOSTICS

The initial evaluation of the damaged vehicle is the first step of the repair process. Repair diagnostics can be performed on any lift, bench, or surface.

Detailed pre-repair documentation shows the extent of the damage and the structural operations necessary to return the vehicle to OEM specifications.

COMPLETE REPAIR DOCUMENTATION

The Touch provides a complete set of post-repair documents. The technician and customer can be confident that the vehicle has been returned to OEM specifications.

Scan for more



TOUCH WHEELS

WHEEL AND TIRE ALIGNMENT

Touch Wheels checks vehicle alignment to necessary to complete 360° vehicle damage diagnostics.

Without the need for lifts or benches, Touch Wheels performs vehicle alignment checks on the ground.




The Touch Wheels kit provides camber, caster and toe angle measurements without the need to purchase additional accessories.



WELDING EQUIPMENTS

SECTION



INTRODUCTION

OUR PRODUCTS

GYS DESIGN AND MANUFACTURE THREE PRODUCT RANGES:

EQUIPMENT FOR WELDING. GYS OFFER ONE OF THE LARGEST RANGES OF WELDING MACHINES, ACCESSORIES AND CONSUMABLES FOR ALL POTENTIAL USERS, FROM THE MOST ADVANCED APPLICATIONS IN INDUSTRY TO GENERAL MAINTENANCE AND REPAIR USES.


EQUIPMENT FOR BATTERY MAINTENANCE. MANUFACTURED IN TWO FACTORIES, GYS OFFER AN EXTREMELY WIDE RANGE OF BATTERY CHARGING AND MAINTENANCE PRODUCTS. MORE THAN 50 YEARS OF PRODUCTION HAVE FIRMLY ESTABLISHED THE BRAND REPUTATION OF GYS AROUND THE WORLD.

EQUIPMENT FOR CAR BODY REPAIR. GYS OFFER THE LARGEST RANGE OF REPAIR EQUIPMENT IN THE WORLD FOR VEHICLES INVOLVED IN ACCIDENTS I.E DENT PULLING, WELDING, RIVETING, LIFTING, INDUCTION HEATING SYSTEMS (AS WELL AS MANY ADDITIONAL TOOLS). THIS RANGE HAS BEEN DEVELOPED IN PARTNERSHIP WITH THE WORLD'S MAJOR AUTOMOTIVE MANUFACTURERS WHO TRUST US DAY AFTER DAY.



COMMITTED TO QUALITY FROM START TO FINISH

Twenty two dedicated staff for approving and improving products and processes



Conformity

- Conforms with current standards (20 European directives, 100 standards)
- Component and edurance testing
- Simulated meteorology conditions

→ Complies with regulations



Production testing

- Manufacturing testers
- Normative and functional testing
- The product's traceability feature

→ Quality control



Quality

- Monitoring and control systems for component parts and products
- Improving products and processes
- Environmental assessments

→ Certification
ISO 14001/ISO 9001

SPOT WELDING

072183

**GYSPT PTI PREMIUM
PRO (6M) - 400V**

ISOLATED ARMS (OPTIONS)




6 m long cable


Supplied with:
G1 arm, motorised
overhanging arm with
pulley
(See next page)




G2 - 8 bar/300 daN
022775




G6 - 8 bar/550 daN
022812



G7 - 4 bar/150 daN
022829




G1 - 8 bar/550 daN
022768




G3 - 8 bar/550 daN
022782

G1/G3-SA (Small Access)
067653
(For arm > 02/2021)




G5 - 8 bar/550 daN
022805

⚖ : 6.25 kg




G8 - 8 bar/550 daN
022836

G8-SA (Small Access)
067677




G10 - 8 bar/400 daN
067165

G5-G10-SA (Small Access)
067660



G4 - 8 bar/550 daN
022799


G4-SA (Small Access)
064478
(For arm < 10/2019)



**048935
BOX OF 40 TYPE A CAPS**



X1 - 550 daN
050501



G9 + X1 - 550 daN - 022881

X6 - 300 daN
050587
240 mm

X2 - 300 daN
050518
240 mm



MIG WELDING MACHINES



032927



T1 GYS AUTO DV 230/400 V
WITH ACCESSORIES
(NO REGULATOR)



069831



AUTOPULSE 320-T1
400V - WITH ACCESSORIES



075122



E1 GYS AUTO
230V - WITH ACCESSORIES



075139



E2 GYS AUTO
230V - WITH ACCESSORIES



032903



M1 GYS AUTO
WITH ACCESSORIES
(NO REGULATOR)



065024



AUTOPULSE 220-M1
WITH ACCESSORIES
(NO REGULATOR)



061545



FUME EXTRACTION SYSTEMS
UNI 2.0 RE
400V 3 ~



061552



FUME EXTRACTION SYSTEMS
EVO 2.1 RE
230V 1 ~



032880



M3 GYS AUTO
WITH ACCESSORIES
(NO REGULATOR)



032958



T3 GYS AUTO DV 230/400V
WITH ACCESSORIES
(NO REGULATOR)

OPTIONS

PUSH PULL TORCH 24 V

Motor inside

MB 25
4m
046283

NEW
MB 15 / MB 25
(250 A)
077089

- x5 (M-6Ø 0.6)
- x5 (M-6Ø 0.8)
- x5 (M-6Ø 1.0)
- x5 (M-6Ø 0.8)
- x5 (M-6Ø 1.0)
- x5 (Alu - M-6Ø 1.0)
- x5 (Alu - M-6Ø 1.2)

Torch gas flow-meter
- Débitmètre de bout de torche
053939

Protection cover
- Housse de protection
- Schutzhaube
052260

WELDING ACCESSORIES



041486




086548
086685



SPOOL GUN TORCH 150 A



WELDING WIRE REELS ALU
0.5 KG 100MM



041332



SPECIAL PLIER MIG MAG.
12-15 MM NOZZLE



043909



062269



LCD GYSMATIC 9-13 G
HELMET



LCD FIREMAN 9-13
HELMET



041424



041462



TORCH MIG 150A - 3M,
STEEL WIRE
(CT Ø0.8MM - M6)



TORCH MIG 150A - 3M,
SPECIAL ALU WIRE
(CT Ø0.8MM - M6)



086227



MAG WIRE REEL STEEL
Ø0.8 - 15 KG



086128



MAG WIRE REEL STEEL
Ø0.8 - 5 KG



086555 (0.8MM)
086562 (1.0MM)



MIG WIRE REEL ALU
ALMG5 Ø1.0 - 2 KG

WELDING ACCESSORIES



041998

PRESSURE-FLOWMETER (CO2)
(15L/MIN)



043619

PRESSURE-FLOWMETER (ARGON)
(30L/MIN)



041226

BOX MIG TORCH
150 A



Boxes - Coffrets - Verschleißteilebox - Cajas - Kistjes - Estojos


MB 15 (150 A) 041226	MB 15 / MB 25 077089	MB 25 (250 A) 041233	MB 36 (350 A) 041417
 x3	 x5 (18-480.0) x5 (18-480.0) x5 (18-481.0)	 x5	 x2
 x5	 x5 (18-480.0) x5 (18-481.0) x5 (18-481.2)	 x3	 x3
 x5 (18-480.0) x5 (18-480.0) x5 (18-480.0)	 x5 (18-480.0) x5 (18-481.0) x5 (18-481.2)	 x5 (18-480.0) x5 (18-481.0) x5 (18-481.2)	 x5 (18-480.0) x5 (18-481.0) x5 (18-481.2)
 x3	 x3	 x3	 x2

CONSUMABLES - Consommables

Torch liners
- Gaines
- Mantel
- Funda
- Drahtseelen
- Folha




Tip adaptors & diffusers
- Supports tube contact & diffuseurs

A1		A2	
B1		B2	
C1		C2	
D1		D2	

Contact tips - Tubes contacts
- Kontaktröhre - Tubo de contacto
- Contactbuis - Pontas de contacto

A	
B	
C	

Gas nozzles - Buses - Düsen
- Tubo - Nippel - Bicos

A	
B	
C	
D	
E	



041806

ANTI-SPATTER
SPRAY (WITHOUT SILICON)



048898

SET OF 12 COOLING
SPRAYS -50°C / 400 ML



052246

SPECIALIST WELDING
COOLANT - 10L



WELDING ACCESSORIES

050495

MINI INSPECTION
HEADTORCH (200L)

047778

047792

UNDER BONNET HAND
LAMP (600L)

045910 (T9)
045927 (T10)

HIGH RESISTANCE
ANTI-CUT HANDLING
GLOVES (SIZE 10)

050204

JUMP LEADS PRO 700A (4L/7L)
- INSULATED CLAMPS -
Ø35MM² - 2 X 4.5M

(x2)
052291

SET OF 2 MAGNETS
WELDING MAGNET

145897

JUMP LEADS PRO 1000A
- INSULATED CLAMPS -
Ø50MM² - 2 X 4.5M

053595

BATTERY TESTER PBT700
- START/STOP

MULTI-USE LEATHER APRON

- Tablier cuir multi-usage
- Delantal de cuero multi-uso
- Mehrzweck-Lederschürze

Cuir
Leather
Leder

PRO

045217

LEATHER APRON

045903 (T9)
045934 (T10)

HIGH PRECISION
ANTI-CUT HANDLING
GLOVES (SIZE 9)

060500

POWER PACK 520

045873

BOOSTER LITHIUM
NOMAD POWER PRO 700

HEATING MACHINES

056879




POWERDUCTION C180/B1 (90°)
COMPLETE INDUCTOR



056886



POWERDUCTION C180/B2
COMPLETE INDUCTOR



28L
M28 Ø32
064492



32L
M32 Ø32
064515

POWERDUCTION ADAPTER



056862



POWERDUCTION C20/B1
COMPLETE INDUCTOR



058583



POWERDUCTION 39LG



055599



POWERDUCTION 50LG



058590



POWERDUCTION 110LG



057814



POWERDUCTION 160LG



066861



Removable handle
- Poignée de lance
- Abnehmbarer Griff
for POWERDUCTION
110-160-220LG
058599



Cooling liquid
for
POWERDUCTION
220-160LG
5L
062511
10L
052246



Protection cover
- House de protection
- Schutzhaube
for POWERDUCTION
220-160LG
058583



Protection cover
- House de protection
- Schutzhaube
for POWERDUCTION
110LG
062733

POWERDUCTION 220LG



CUTTING MACHINES



013858

PLASMA CUTTER 30 FV
(WITH TORCH)



040298

PLASMA TROLLEY 600



039957

BOX OF CONSUMABLES
FOR PLASMA TPT40 TORCH



060753

MANUAL PLASMA TORCH
IPT40 - 4M -
WITH CONSUMABLES



029743

PLASMA CUTTER EASYCUT 40



REPAIRING MACHINES

CONTAINS SUB PRODUCTS



035775

PROLINER 3902



CONTAINS SUB PRODUCTS



035836


PROLINER ALU
PRO FV



OPTIONS

Rocker panel arms for draw aligner - Bras de bas de caisse -
Abstütztraverse für Richtausleger

052581



058996

PREMIUM PRO LEVELLING
BAR (900MM)



059306

PREMIUM PRO DENT-PULLING
BAR (900MM)



073999

GYSPOT ARCPULL 200



052475

DRAW ALIGNER



069244

DRAW ALIGNER PRO



INCLUDED

Plate under the wheel - Caille sous roue
Compatible with Draw Aligner & Draw Aligner Pro


076693



Wedge for rocker panel - Caille pour bas de caisse



Rocker panel arms and stabilisation bar - Kit bras de bas de
caisse et barre de stabilisation



DRAW ALIGNER

Pulling Equipment

AIRFIX DRAW ALIGNER

Air 5-8 bars

077379



350 kg

Uniform pulling force

Force de tirage uniforme
Gleichmäßige Zugkraft
Forza di spinta uniforme



NEW

Air

Ground anchor by suction


Fast installation

Ancre au sol par aspiration :
installation rapide
Verankerung durch Vakuumbildung -
schnell einsatzfähig
Ancoraggio a terra: installazione rapida

AIR

Precision

All directions



Down-pulling

Rocker panel
- Bas de caisse
- Schweller
- Sottoporta



4 pads

Seal protection

Perfect stability

4 patins : protection du joint, stabilité parfaite
4 Pads: Dichtungsschutz, perfekte Stabilität
4 piedini: protezione sigillata, perfetta stabilità



Seal - Joint - Rahmen - Guarnizione

Quick & easy set up

Compact
& light
31 kg



Low noise



Smart maintenance



Pads - Patins
(x2)
069008




Plate seal
- Joint de
plaque
079571



ALUMINUM

SECTION



Youtube



ALUMINUM REPAIR

GYPRESS 10T

6.5 bar 100 kN

10t

063303



Discharge lever
- Levier de décharge - Auslösehebel



Speed control - Contrôle de la vitesse - Regelung
Werkzeuggeschwindigkeit



Pressure control
- Contrôle de la pression - Druckregelung



UNIQUE
100%
No air inclusion
maintenance free, no oil refill


GYPRESS 10T COMPLETE PACKS

	 HR110 063310	 XT11.21 - Extension for HR110 & HR210 058644	 Standard 10T tool box 053694	 6 x 50 rivets RAP - Nieten SPR 048706	 HR210 + HR310 064089	 50kN adapter 064867	 Pulling adapter kit 066076	 Trolley+support 055391
GYPRESS 10T pack 1 066441	✓							
GYPRESS 10T pack 2 066458	✓							
GYPRESS 10T pack 3 064744	✓					✓		
 MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	✓ cm	✓ kg	✓ LxWxH cm / kg		
GYPRESS 10T	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+ —	39.5 x 180	6.2 (HR110 included)	58 x 50 x 15 / 12.1		

ALUMINUM REPAIR

**UNIQUE
PUSH
PULL**
SYSTEM by GYS

PUSH PULL SYSTEM by GYS



Sélection Push/Pull - Push/Pull selection




Gyspress support



Arms support



**REGULATED
PRESSURE
CONTROL**
**POWER
10t**



Discharge lever
- Levier de décharge
- Auslösehebel

**WORKSTATION
GYSPRESS 10T PP CONTROL**

6.5 bar 100 kN

10t

063860

included



HR110
063310



XT11.21 - Extension
for HR110 & HR210
058644



Standard 10T PushPull tool box
058361



6 x 50 rivets RAP -
Nieten SPR
048706



Strap-Sangle-Gurt



HR arm locker



Poignée-Handle-
Griff

OPTIONS

**Pressure
gauge
- Capteur
d'effort**

10T PP CONTROL
071759



Youtube



Hydraulic body wrenches
for GYSPRESS 10T, 10T
PushPull, 10T PP CONTROL
(x2)
067325





		AIR BAR	PRESSURE CONTROL	SPEED CONTROL		
MADE IN FRANCE					LxWxH cm / kg	LxWxH cm / kg
WORKSTATION GYSPRESS 10T PP CONTROL	230 V	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+ -	74 x 50 x 116 / 54	76 x 42 x 94 / 64.4

ALUMINUM REPAIR

BRAS DE RIVETAGE - RIVETING ARMS - STANZIETBÜGEL



			
	HR110 063310	HR210 063327	HR310 8T PP/10T/10T PP 063334
GYS PRESS 8T	✓	✓	—
GYS PRESS 10T	✓	✓	✓
GYS PRESS 8T PUSH PULL	✓	✓	✓
GYS PRESS PREMIUM 10T PUSH PULL	✓	✓	✓
GYS PRESS 10T PUSH PULL	✓	✓	✓
GYS PRESS 10T CONNECT	✓	✓	✓




KIT WITH HR210 + HR310
064089

CASE & FOAM WITHOUT ARMS
- Valise et mousses sans bras
077546


XT31-40
Rallonges bras HR310 pour point milieu
- HR310 arm extension for middle point

Compatible
8T PP/10T/10T PP
x2
066335



FORD

RMB PP02 for **10T** **8T PP** **10T PP** **10T CONTROL**
058835

										
x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4
B1	G1	G2	G3	G4	G5	G6	E7	E12	key - clé	seals - joints
Self-piercing rivets Ø 5 > 5.3							Extraction Ø 5 > 5.3			

Included **XT31-60** - 60 mm extension for HR3 (use with E7 & E12) 057135



JAGUAR / LAND ROVER

RMB 02 for **8T** **10T** **8T PP** **10T PP** **10T CONTROL**
054271

								
x1	x1	x1	x1	x2	x1	x1	x2	x4
B1	B2	B3	S8	D17	E1	E6	key - clé	seals - joints
Self-piercing rivets Ø 5 > 5.3				Extraction Ø 3.3 > 4.8				



BMW

RMB 01 for **8T** **10T** **8T PP** **10T PP** **10T CONTROL**
054240

							
x1	x1	x1	x1	x1	x1	x2	x4
A1	A2	B1	B2	E1	E2	key - clé	seals - joints
Self-piercing rivets Ø 3.2 > 3.5				Extraction Ø 3.3 > 4.8			



PORSCHE

RMB 12 for **10T**
071094
RMB PP07 for **10T PP** **10T CONTROL**
071070

																				
x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x1	x1	x2	x2	x4
B1	B3	I1	I2	I3	F1	F2	F6	E3	T1	T2	T5	ST1	T7	T17	T18	T19	D18	D17	key - clé	seals - joints
Self-piercing rivets Ø 5 > 5.3					Flow-form rivets Ø 6			Extraction Ø 3.3 > 4.8		Punching Ø 6										

Included **XT31-60** - 60 mm extension for HR310



TESLA

RMB 10 for **10T**
069299
RMB PP06 for **10T PP** **10T CONTROL**
069305

														
x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x2	x2	x4
B3	F2	E9	E11	T1	T2	T5	ST1	T7	T17	T18	T19	D17	key - clé	seals - joints
Flow-form rivets Ø 6				Extraction Ø 6 > 8		Punching Ø 6								

Included **XT31-60** - 60 mm extension for HR310



TESLA

RMB 09 for **8T** **10T** **8T PP** **10T PP** **10T CONTROL**
059931

										
x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4
B1	H1	H2	H3	H4	H5	H6	H7	H8	key - clé	seals - joints
Self-piercing rivets Ø 5 > 5.3										

ALUMINUM REPAIR

DENT PULLING ALU



FIXED GUN

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN

Alu



Goujons - Studs

Steel / Acier / Stahl



- | | |
|---------------------------------------|-----------------------|
| Stars - Étoiles | Tempering - Rétreinte |
| Rings - Anneaux | Rivets - Rivets |
| Wavy wires - Fils ondulés | Rings - Rondelles |
| Impact shrinking - Rabattage d'impact | Studs - Goujons |

GYSPOT ALU PRO FV

100 > 230 V • 1 ~

7500 A x1 AUTOMATIC

FV

021990

included

for Ø 4 mm



Automatic alu gun
3 m, 25 mm²



ALU BOX STANDARD (050020)
(Details p.11)

ALU GUN



AUTOMATIC

3 m, Ø 25 mm²

included SPOT ALU FV
& COMBISPOT 230




(x 3)
065635

66 mF

**CAPACITOR
DISCHARGE
WELDING**

Ø 4mm



with connectors
for COMBISPOT
230

Joint rings for
mandrel Ø 4/5/6
x 2
060814

OPTIONS

Consumables - Consommables
p.11



ALU accessories - Accessoires ALU
p.19



Trolleys - Chariots
p.24



ALUMINUM REPAIR

ALU ARC PULLER PREMIUM

065161

Included
Alu 3
065178

Included
Alu 4
065185

Pads - Patins
(x2)
069008

ULTRA RESISTANT
No deformation

GRIP

Full rotation

Multi positions

ARC PULLER PREMIUM PRO

072572

Pads - Patins
(x4)
074958

Included
Alu 3
065178

Included
Alu 4
065185

ALU PULLER

= 051003

4 positions

Included
Alu 1
050938

Included
Alu 2
050945

Patins
- Pads (x2)
060807

STRAIGHT LINE LAMP

- Lampe ligne droite - Dentline-laser

056770

FAST PULLING RINGS

- Anneaux de tirage rapide

058743 =

x5
058712

goujons alu
- alu screws
ø 4, 5 & 6 mm

Alu 1
050938

Alu 2
050945

Marteau à inertie 380 g
050051

ALU HAMMERS

- Marteaux alu

020986

Heat gun - Décapeur thermique - Heißluftpistole I: 100/300°C (450 W) II: 300/650°C (1500 W) Air flow: 450 l/min 3 230 V only Affichage digital Digital display 066311	Gas hot air gun - Pistolet à air chaud autonome à gaz 060777 Bouteille de gaz incluse, gas cylinder included	Blow torch - Lampe à souder - Lötlampe 052741	Novacet + (Butane/propane/ propylene) 380 ml/220 g HIGH QUALITY 040441	Brushes - Brosses - Bürsten - Brosas - Cepillos Inox - Stainless- Edelstahl 044258	Thermal marking pencil - Crayon marqueur thermique 121°C / 250°F 052765	Infrared Thermometer - Thermomètre infrarouge -50 / +380°C -58 / +716°F 052994	Freezer spray - Spray refroidisseur -50 °C 400 ml (x 12) 048898	Heat barrier spray - Spray barrière thermique 054325
--	---	---	---	---	--	---	--	--

ALUMINUM WELDING



075139

E2 GYS AUTO

10 200 A

230V 1~

PFC

with accessories :



075160

E3 GYS AUTO

10 200 A

230V 1~

PFC

with accessories :




SYNERGIC MIG GMAW
FCAW

E GYS AUTO



PLASTIC REPAIR

SECTION



PLASTIC REPAIR

HOT STAPLER FOR BUMPER REPAIR - Agrafeuse pour réparation pare-chocs - Stoßstangen Reparatur Kit

052925



MADE IN TAIWAN




PORTABLE

Battery operated - Sur batterie
058118

included
Li-ion battery 3.7 V
048669
included adapters :
EUR, UK, USA & AUS

Charger included
048652

MADE IN TAIWAN



Staples - Agrafes



Inside corner
- Angle interne étroit
Ø 0.7 mm



Crack alignment
- Alignement de fissure
Ø 0.7 mm



Large crack
- Fissure importante
Ø 0.7 mm



Internal angle
- Angle interne
Ø 0.7 mm



External angle
- Angle externe
Ø 0.7 mm



052413

= x 50

+

x 50

+

x 50

+

x 50

+

x 50

BRAZING AUTOMOTIVE PLASTICS REPAIR KIT - Coffret de réparation des plastiques automobiles - Kungstoff Reparatur Set



052932

=



MADE IN BELGIUM



PLASTIC WELDING

PLASTIC WELDING STATION - Station de soudage des plastiques - Kunststoff-Schweißset



320 W - 230 V, 1~50 Hz
Temperature : 160 < 480°C
▲ 3.4 kg
Length of hose : 1 m
Air flow : 24 l/min


Station seule
- Station only
064072



Youtube

plastic rods - baguettes plastique 440 mm	PP / EPDM	▲ 4 mm	x 10	066304
		■ 6 mm	x 10	067622
	ABS	■ 8 mm	x 10	066298
		▲ 4 mm	x 10	071322
		■ 8 mm	x 10	071339

	Station	PP/EPDM			Pressure wheels	Mini milling machine	Scraper
		4mm (x10)	6mm (x10)	8mm (x10)			
064072	✓						
070974							



WELDING KIT FOR PLASTICS - Kit de soudage des plastiques - Kunststoff-Schweißset



1 600 W - 230V - 50/60 Hz
max. 230 l/min
▲ 1.3 kg / ∅ 100 x 300mm,
poignée Ø 56mm.

057678



GLASS WORK TOOLS

PROFESSIONAL BOX SET FOR WINDSCREEN REMOVAL - Coffret de découpe pare-brise - Frontscheiben-Trennsystem für Akkuschrauberbetrieb




OSCILLATING PNEUMATIC SAW FOR WINDSCREEN REMOVAL - Couteau pneumatique de découpe pare-brise - Druckluft-Trennmesser für Windschutzscheiben



WINDSHIELD CUTTING KIT - Système de découpe pare-brise à cliquet - Set zum Lösen von Windschutzscheiben



DASHBOARD PROTECTOR - Protections tableau de bord - Armaturenbrett Schutz



WINDSHIELD CUTTING TOOL - Outil découpe pare-brise - Windschutzscheiben Demontage-Set



WINDSCREEN JOINT-CUTTING KIT - Kit découpe joint de pare-brise - Scheibentrenn-Werkzeug-Set



SMART ACCESSORIES

050266

SET OF 16 CAR-BODY
LOCK-GRIP PLIERS

051102

Door hinge straightener
- Redresseur de charnière de porte
- Türgelenkausrichter

40 mm max

FIXED HINGE BENDING TOOL

062719

FLAT NOZE LOCK-GRIP PLIERS

057579

PLANISHING KIT
(SET OF 3 HAMMERS & 4 TOE DOLLIES)

059139

PARKING SENSOR
CUTTING KIT

057616

SET OF 30 STRIPPING
AND SANDING TOOLS

280 mm
061378 x 6

610 mm
061354 x 2

80 mm

410 mm

460 mm
061361 x 4

Flat nose - 610 mm
061347 x 2

240 mm

410 mm

FLAT NOZE LOCK-GRIP PLIERS



PAINLESS DENT REPAIR

SECTION



SMART ACCESSORIES

PAINTLESS DENT REPAIR MAGNETIC KIT

- Kit magnétique de débosselage sans peinture
- Magnetisches Ausbeul-Kit

053168

EXELTOOLS




PAINTLESS DENT REPAIR LAMPS

- Lampes de débosselage
- Ausbeullampe

ULTRA LIGHT CARBON X40 PW

053175

EXELTOOLS



DENT PULLING KIT (PAINTLESS)

- Kit débosselage sans peinture - Dellenausbeulhebel-Set



SET OF 6 PENCIL PUNCHES

- Kit de 6 coins de frappe - Beulenstemmer-Satz mit 6 Tefloneinsätzen

052888



MADE IN FRANCE



PNEUMATIC INERTIA HAMMER

- Marteau inertie pneumatique - Unterdruck-Schlaghammer



AIR CUSHION KIT

- Kit coussins gonflables - Luftpolster-Spreizkissen-Satz



PUMP AIR SUCTION SLIDE HAMMER



- Marteau à inertie à ventouses (pompage manuel) - Man. Unterdruck-Schlaghammer



SMART ACCESSORIES

PAINTLESS DENT REPAIR

BARRETTES ANNEAUX PLASTIQUE Plastic Multipads Ösen-Klebe pads




GLUE PULLER PRO (Steel/Alu • Acier/Alu)



Glue Puller PRO
058699

**Glue Puller PRO
EXPORT**
230 V 059160



OPTIONS

Pulling handle 3 claws -
Poignée de tirage 3 dents
- Handzugkralle 3-fach

057326



Slide hammer 380 g
- Marteau à inertie 380 g
- Gleithammer 380 g

050051



Slide hammer 500 g
- Marteau à inertie 500 g
- Gleithammer 500 g

057906



Set of 2 knives to cut glued
reinforcements
- Jeu de 2 couteaux pour
découpe de renforts collés
- 2-er Set Messer zur
Klebebandentfernung

057913



GLUE PULLING KITS

GYSMART GLUE PULLING KIT

NEW



GYSMART GLUE PULLING KIT PLUS

NEW



Workstation 054233	Set of pencil punches with 6 teflon tips 052888	Infrared thermo- meter 052994 Heat Gun 066311	Levelling bar 050693 6 Gripping multihook head 049734	3 Lifting rods: 150, 300 & 500 mm 050792	Set of 3 conical plastic multipads 048096 048072 048089 048119 048102	Inertia hammer 057906	Set of 6 glue tips 050952	Glue Puller PRO 058699	Glue Puller PRO Export 059160	33PC Paintless dent repair kit 051959	Mini puller 050921
-----------------------	--	--	--	--	---	-----------------------------	---------------------------------	---------------------------	----------------------------------	---	-----------------------

GYSMART GLUE PULLING KIT
076051

**GYSMART GLUE PULLING KIT
EXPORT**
076105

GYSMART GLUE PULLING KIT PLUS
076082

**GYSMART GLUE PULLING KIT PLUS
EXPORT**
076129



SMART ACCESSORIES



ORANGE WELDING
CURTAIN OPTI
215.0 ON WHEELS 2X2.15M



061446

MAGNETIC COVER



057555

ROUND STOOL WITH
TOOL STORAGE



057548

MECHANICS CREEPER WITH HEADREST



068056

WORKSTATION 3 SHELVES



ALU 150KG-LOAD

057562

FOLDING STEPSTOOL



076143

PREMIUM WORKSTATION 5 DRAWERS



SMART ACCESSORIES



077058 (AUTOMATIC)
071353 (MANUAL)

GYSDUST SELF EXTRACTOR



Consumables



Sac à poussières -
Filter bag
Capacity 5 kg

Included x1

x 5
058880



DUST BAGS



057999

ELECTRIC DUAL-ACTION SANDER/POLISHER



071346

PNEUMATIC MIRKA PROS 650CV



063136

MOBILE IMPACT WRENCH
SUPPORT STAND



071995

SET OF TWO MECHANICAL
LIFTING JACKS



059696

SPOT WELDING
OVER-HANGING ARM
PULLEY (10-14 KG)



063839

HANDLING JACK AUTO
ROLL 1.55M/1.2T



059047

VEHICLE TROLLEY
AUTO ROLL 1.2T




059740

POWER PULLER 4T



PNEUMATIC SANDER



CONTAINS SUB PRODUCTS

060913

5 BELTS 20 X 520MM
GRAIN 60 FOR SANDER





060920

5 BELTS 20 X 520MM
GRAIN 80 FOR SANDER





062528

20 BELTS 10 X 330MM
GRAIN 36 FOR SANDER





060937

5 BELTS 20 X 520MM
GRAIN 100 FOR SANDER





052833

10 SANDING BELTS
10X330MM GRAIN 80





060906

PNEUMATIC BELT SANDER WITH ADJUSTABLE
HEAD (20X520MM)





052819

PNEUMATIC BELT SANDER
(10X330MM)





**PACK
SPOT DRILL + 140 mm
061460**



140 mm
061453

3-edge Ø 8 mm
053069

050464

SPOT DRILL - SUPPLIED WITH DRILL BIT



EV TOOLS & EQUIPMENTS

EQUIPMENT FOR OPERATIONS ON ELECTRIC AND HYBRID VEHICLES

068018 FACE SHIELD WITH HEADBAND



068025 INSULATING GLOVES (T10)



066489 25 pieces insulated tools 1000V



22/19/17/15/14/12/10/8/7 mm sockets	x 9
175 mm universal pliers in chrome vanadium	x 1
Cutting pliers 150 mm in chrome vanadium	x 1
8/3" ratchet	x 1
Extension 100 mm	x 1
T-handle	x 1
Open ended wrenches 17/14/12/10/8/7 mm	x 6
Cable knife	x 1
Philips PhH1x100/PhH2x100 mm screwdriver	x 2
Flat screwdriver 5.5x4 / 125x100 mm	x 2



064409 Kit for marking the area of intervention



Red and white warning pole	x 4
Red and white bounding line	x 1
Sign board "Danger, working area EHV"	x 2



POWER PACK & CABLES




060852
060852


INSPECTION
HEADTORCH





UNDER
BONNET LAMP
(600L)
TRIPOD
LAMP
1800L

059962
059146


LED LAMP





PORTABLE
HAND LAMP
(400L)
TRIPOD
LAMP
3000L

059153
059979


LED LAMP




056343

JUMP LEADS PRO 700A (4L/7L)
- INSULATED CLAMPS -
Ø35MM² - 2 X 4.5M




056329

JUMP LEADS PRO 320A (2.5L)
- INSULATED CLAMPS -
Ø16MM² - 2 X 3M




056558

JUMP LEADS PRO 1000A
- INSULATED CLAMPS -
Ø50MM² - 2 X 4.5M




028838

BOOSTER LITHIUM
NOMAD POWER PRO 700




025882

BOOSTER LITHIUM NOMAD
POWER 400




027961

POWER PACK 520




071988

POWER PACK 1300




027695

JUMP LEADS REEL 500A
- 2X3.5M - 25MM² -
INSULATED CLAMPS


BOOSTERS & CHARGERS



026773

**BATTERYLESS BOOSTER
GYSCAP 680E**



028944

**BATTERYLESS BOOSTER
GYSCAP 24V**



026711

**STARTPACK PRO
12/24V XL**



026025

**STARTPACK
TRUCK MOBILE**



026179

GYSPACK 750



027084

GYSPACK PRO 900



027077

GYSPACK PRO 700



025592

DIAG-STARTIUM 60-24



025578

STARTIUM 480E - 12/24 V



024229

**BATTERY TESTER PBT700
- START/STOP**



029583

ARTIC 4000



025738

**BATTERY TESTER PBT824
- 12/24V**



TOOLS & TROLLEYS



We manufacture professional tools since 1976




Workbenches & Combinations



**Professional workbench
with beech worktop
Equipped with 2 drawer
cabinets**

shelf thickness: 32mm

CODE
FG 132/FD2



CODE
FG 132/FR2



CODE
FG 132/FB2

CODE	Dimensions
FG 118/CO20V	5.600x757x2.000mm



FG 100

**NEW
LATERAL
LOCK SYSTEM**

**UPPER
ABS SHELF**

**DRAWER WITH
OPENING
COMPLETE**

MADE IN ITALY

**AVAILABLE IN 5 DIFFERENT
KINDS OF COLOR**

**RAL
7021**

FG 100D/6T

**RAL
9016**

FG 100W/6T

**RAL
6018**

FG 100V/6T


**RAL
5002**

FG 100B/6T

**RAL
3001**

FG 100R/6T

TOOL TROLLEY



FG 100V/7T Tool trolley with 7 drawers

TECHNICAL FEATURES:

- Ball bearing slidings with telescopic system
- 4pcs wheel in no-marking rubber, Ø125mm (2 fixed and 2 swivel)
- central closing system
- drawers equipped with internal rubber mat
- ABS upper shelf & lateral tools racks



LOAD
CAPACITY **KG 800**




FG 100B/7T

FG 100R/7T

FG 100D/7T

FG 100W/7T

CODE	Drawers	€/Pz
FG 100V/7T, FG 100B/7T, FG 100R/7T, FG 100D/7T, FG 100W/7T	7	1.100,00



Tool boxes with 8 drawers - mod. FG 102

LOAD
CAPACITY **KG 800**

CODE	Drawers number	€/Pz
FG 102V/8G, FG 102R/8G, FG 102D/8G, FG 102B/8G	8	1.150,00




FG 102D/8G

FG 102B/8G

FG 102R/8G

FG 102V/8G



Tool boxes with 7 drawers - mod. FG 104

LOAD
CAPACITY **KG 1000**

CODE	Drawers number	€/Pz
FG 104D/7G, FG 104B/7G, FG 104R/7G, FG 104V/7G	7	1.350,00



FG 104D/7G

FG 104B/7G

FG 104R/7G

FG 104V/7G

HAND TOOLS



FG 102/42C
PLASTIC TRAY OF 4PCS CIRCLIP PLIERS



FG 102/45E
PLASTIC TRAY OF 8PCS SCREWDRIVERS - SLOTTED & PHILLIPS



FG 102/45I
PLASTIC TRAY OF 6PCS TORX SCREWDRIVERS



FG 102/48D
FORM OF 1/4"DR. BITS AND BIT HOLDER



FG 102/56C
PLASTIC TRAY OF PERCUSSION TOOLS



FG 102/60C
PLASTIC TRAY OF CUTTING TOOLS



FG 102/62B
PLASTIC TRAY OF SECOND CUT FILES



FG 102/65B
PLASTIC TRAY OF 2PCS PLIERS



HAND TOOLS

ICON CODES:



MECHANICAL TOOLS



ELECTRICAL TOOLS



QUICK REPAIR TOOLS



NOT AVAILABLE



AVAILABLE



FG 102/03E

PLASTIC TRAY OF OPEN DOUBLE END WRENCHES



FG 102/03H

PLASTIC TRAY OF COMBINATION WRENCHES - MM SERIES



CONTENT
FG 600/B
DESCRIPTION
CHIAVI COMBinate
SIZE
6, 7, 8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32MM



FG 102/07C

PLASTIC TRAY OF DOUBLE ENDED OFFSET WRENCHES - MM SERIES



CONTENT
FG 615/B
DESCRIPTION
CHIAVI POLIGONALI DOPPIE
SIZE
6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19MM



FG 102/17

PLASTIC TRAY OF 1/4\"DR. HEX SOCKETS AND ACCESSORIES



FG 102/21C

PLASTIC TRAY OF 1/2\"DR. 12PT SOCKETS AND ACCESSORIES



FG 102/21D

PLASTIC TRAY OF 1/2\"DR. 12PT SOCKETS AND ACCESSORIES



FG 102/21TX

PLASTIC TRAY OF TORX TOOLS




FG 102/39XT

PLASTIC TRAY OF 3PCS PLIERS



HAND TOOLS





PNEUMATIC TOOLS

SECTION





FASANO
TOOLS



**Max
Torque**



**Twin
Hammer**

Impact wrench-1/2"



1.900



**1.085
Nm**



**746
Nm**



**151
L/min**



**7.300
RPM**



**6.2
Bar**

CODE	€/Pz
FGA 309	300,00



CE



PNEUMATIC TOOLS



FGA 291/C

STUBBY RATCHET WRENCH WITH 1/4" FEMALE DRIVE



FGA-291/B

1/4" DR. STUBBY AIR RATCHET WRENCH



FGA 292/B

1/2" DR. AIR RATCHET WRENCH



FGA 321/C

1" DR. AIR IMPACT WRENCH - 6" ANVIL



FGA 309

1/2" DR. AIR IMPACT WRENCH



FGA-309/S4

1/2" DR. AIR IMPACT WRENCH SET WITH IMPACT SOCKETS



FGA 340/B

ROTO-ORBITAL SANDER 2.5MM



PNEUMATIC TOOLS



FGA 390
AIR INFLATOR GUN



FGA 416
AIR BLOW GUN WITH ABS BODY & COPPER INSIDE THREAD - SHORT VERSION



FGA 384/AR15
AUTOMATIC HOSE REEL - 10X13MM



FGA 386
AIR FILTER REGULATOR/LUBRICATOR



FGA 382/B
FLEXIBLE PVC AIR HOSE WITH COUPLING AND ADAPTOR



FGA 383/2
EXTENDIBLE POLYURETHANE AIR HOSE WITH COUPLING AND ADAPTOR (12 MT.)





PROFESSIONAL EQUIPMENT

SECTION

PROFESSIONAL EQUIPMENTS



FG 732/20TP

PNEUMATIC & MANUAL SHOP
PRESS EQUIPPED OF WINCH
WITH SWIVELLING HANDLE



FG 750/1P

SHOCK ABSORBER REMOVAL EQUIPMENT
1 PISTON



FG 750/A

WHEEL LIFTER - LOAD CAPACITY: 680 KG



JACKS



FG 722/2TB

HYDRAULIC JACK 2 TON WITH SWIVEL FRONT WHEELS - LONG AND LOW MODEL




FG 722/5T

HYDRAULIC JACK 5 TON - LONG MODEL FOR HEAVY VEHICLES



FG 738/1T

HEAVY DUTY ENGINE CRANE EQUIPPED WITH DOUBLE EFFECT PUMP



FG 748/0.5T

ENGINE BRACKETS - LOAD CAPACITY: 500 KG



FG 725/3T

JACK STANDS - 3 TONS



FG 213/SU

TRANSMISSION SUPPORT



FG 740/0.5T

TRANSMISSION JACK - 0.5 TON





MOBILE WORKSHOP VANS FURNITURE



THE WORK ON THE ROAD



POLES STOP LOAD



ESSENTIAL ACCESSORIES



DRAWERS PREPARED FOR
THE INSERTION OF FORMS
EQUIPPED WITH TOOLS

PROFESSIONAL EQUIPMENTS



FG 710/B
FOLDABLE CREEPER



FG 710/C
SEAT WITH SWIVELLING WHEELS AND ACCESSORIES



FG 710/A
CREEPER MADE OF SHOCKPROOF PLASTIC



FG 712/A
SMALL PARTS / TOOLS HOLDER EQUIPPED WITH SWIVEL WHEELS




FG 135/D2
WORKBENCH - 2.0M EQUIPPED WITH DRAWER CABINETS AND PANEL TOOL HOLDER



FG 129/R1.5
WORKBENCH WITH STEEL WORKTOP AND DRAWER - 1.5M






SECTION
**GARAGE
EQUIPMENTS**





TWIN BUSCH Germany (founded in 1997) is a medium-sized company with its headquarters in D-64625 Bensheim and numerous national and international offices. We proudly look back on our longstanding and successful history. Benefit from the experience and professionalism and the resulting quality standards in conjunction with an excellent price-performance ratio.




Our focus is on lifting- and tyre changing equipment. Besides automotive lifts (two-post lifts, scissor lifts, one-post lifts, four-post lifts, in-ground lifts and HGV lifts), tyre changers and wheel balancers we offer many more innovative products related to garage and shop equipment.

We are proud of the readers' poll by the trade magazine PROFI-Werkstatt in cooperation with the leading trade fair automechanika for the "Best Brand 2021", in which Twin Busch was rewarded four first places. In the categories of lifting systems, tyre fitting, wheel alignment and brake testers, we were able to register one victory each.

LIFTERS




TW242PEB43
2 POST LIFT - CLEAR FLOOR - PROFI-LINE


TW236PEB39
2 POST LIFT - CLEAR FLOOR - PROFI-LINE





TW445
4 POST LIFT 4.5T




TW445-W
AXLE FREE JACK FOR 4 POST & SCISSOR LIFT






TWS3-18U
SCISSORS LIFT - IN-GROUND MOUNTED - 3.0T



LIFTERS



TWSA-40-400

SCISSOR LIFT - 4.0 T - OVER FLOOR



TWO POST PARKING LIFT 2.7 T - ELECTROMAGNETIC - GREY-LINE

TW227P-230-G



TRIPLEX 3-COMPARTMENT CAR PARK LIFT - GREY-LINE

TW445P-H3-400-G



WHEEL SERVICES



TWX-36
TYRE CHANGER - AUTOMATIC TWX-36



TWX-93
TYRE CHANGER WITH NEW CLAMPING SYSTEM



TWF-95
WHEEL BALANCER AUTOMATIC - TFT- COLOUR SCREEN - TWF-95



TW1530MP
3 KG TYRE MOUNTING PASTE



TW1530
INDUSTRIEQUASTE




TWX-WUL
BULGE DOWN PUSHERS



TWX-KETTE
CHAIN BEAD PRESS - TWX-KETTE









www.filcar.eu

Exhaust Extraction



 Darwin automatic hose reel with remote control for entering and exiting the hose. Manual horizontal movement, electric input and output control. The hose reel can be installed on both ETK trunk and XTK trunk, which are to be equipped with Busbar-system electric power supply. Available for pipes N 75,100,125,150 in various lengths. Complete with electronic limit switch.



DRW-XT-COMP / DRW-ET-COMP				
				
DRW-XT-75/7.5-COMP / DRWT-ET-75/7.5-COMP				
75 mm - 3"	7,5 mt. - 24,6 ft	200° C - 392° C	AFT-75	BGT-75/140
DRWT-XT-75/10-COMP / DRWT-ET-75/7.5-COMP				
75 mm - 3"	10 mt. - 32,8 ft	200° C - 392° C	AFT-75	BGT-75/140
DRWT-XT-75/13-COMP / DRWT-ET-75/13-COMP				
75 mm - 3"	13 mt. - 42,6 ft	200° C - 392° C	AFT-75	BGT-75/140
DRWT-XT-100/7.5-COMP / DRWT-ET-100/7.5-COMP				
100 mm - 4"	7,5 mt.-24,6 ft	200° C - 392° C	AFT-100	BGT-100/140
DRWT-XT-100/10-COMP / DRWT-ET-100/10-COMP				
100 mm - 4"	10 mt. - 32,8 ft	200° C - 392° C	AFT-100	BGT-100/140
DRW-XT-100/13-COMP / DRWT-ET-100/13-COMP				
100 mm - 4"	13 mt. - 42,6 ft	200° C - 392° C	AFT-100	BGT-100/140
DRWT-XT-125/7.5-COMP / DRWT-ET-125/7.5-COMP				
125 mm - 5"	7,5 mt. - 24,6 ft	200° C - 392° C	AFT-125	BG-125/140
DRWT-XT-125/10-COMP / DRWT-ET-125/10-COMP				
125 mm - 5"	10 mt. - 32,8 ft	200° C - 392° C	AFT-125	BG-125/140




Fluid Control



SUCTION / DRAINERS

ER1107

ER1204



HOSE & CABLE REELS



V0033 CABINET FOR 4 HOSE-REELS
FOR FLUID DISTRIBUTION



- 1 Standard oil - air-water hose reels
- 2 "Small series" oil-air-water hose reels
- 3 Cable reels neon led lamp reels
- 4 Oil control valve with or without digital flow meter
- 5 Drip Collector
- 6 Electropneumatic kit
- 7 Antifreeze control valve with or without digital flow meter
- 8 Waste oil suction kit with electric pump and electronic control unit
- 9 Backlight advertising panel
- 10 Waste oil suction probes

MINI TOWER
MULTI FUNCTIONAL CABINETS FOR FLUID DISTRIBUTION



OUR PROJECTS





MOBILE WORKSHOP CONCEPT





Taajeer Workshop Solution's Functional Area





TAAJEER

Workshop Solution



TAAJEER JEDDAH

HEADQUARTERS

Jeddah, Salama Tower, Al- Madinah Road
JEDDAH, KINGDOM OF SAUDI ARABIA
Phone: +966 50 131 1775



TAAJEER JEDDAH

WAREHOUSE

Jeddah, Mersal Compound
JEDDAH, KINGDOM OF SAUDI ARABIA
Phone: +966 59 999 2059



TAAJEER RIYADH

WAREHOUSE

Riyadh-Warehouse\ Al-Sulay, Istanbul St.
RIYADH, KINGDOM OF SAUDI ARABIA
Phone: +966 50 366 8595



TAAJEER RIYADH

OTC

Riyadh, Exit 18, Bakhit Center / front Al-Safi Co.
RIYADH, KINGDOM OF SAUDI ARABIA
Phone: +966 55 666 7468



LinkedIn
Youtube
WeChat
Facebook
Instagram

info@tw-solution.com